

## Probes & Switches

[Site Map](#)[Company History](#)[The Right Choice](#)[Our Customers](#)[Patents](#)[Contact AR](#)[Testing Instruments](#)[Systems](#)[Software](#)[Accessories](#)[Training](#)[Service & Support](#)[North America](#)[South America](#)[Europe](#)[Near East](#)[Asia](#)[General](#)[General Testing](#)[Application](#)[Agency Compliance](#)[Automation](#)[Repair/Calibration](#)[Ask Us A Question](#)[Articles](#)[White Papers](#)[Glossary of Terms](#)[About AR](#)

Part #	Description
<b>38081</b>	<b>Probe HV Retractable 5KVAC w/6ft Lead</b>

A retractable high voltage probe for safe testing and application of high voltage. Pressing the red push button extends the probe tip. Upon release of the button the probe tip retracts back into the sleeve.



**Used With:**

All Hypots

<b>38082</b>	<b>Probe Return Retractable w/6ft Lead</b>
--------------	--

A retractable return probe. Pressing the black push button extends the probe tip. Upon release of the button the probe tip retracts back into the sleeve.



**Used With:**

Hypot II, HypotPLUS II,  
HypotULTRA II

<b>38083</b>	<b>Probe HV Pistol w/Switch</b>
--------------	-------------------------------------

[Hot News](#)

[Products/Services](#)

[Local Sales Offices](#)

[FAQ's](#)

[Reading Room](#)

[Resource Links](#)

[Info Request](#)

[Order Online](#)

[Contact Us](#)

[Home](#)

High voltage test gun has a unique dual action test trigger that controls the retractable probe tip and activates the high voltage circuit of the instrument. The probe has a unique ergonomic shape for ease of use.



**Used With:**

All Hypots

---

**38084 Probe, GND Bond  
4W w/Switch**

This is fixed tip Ground Bond probe that allows easy contact with grounding points of the device under test. The probe has two separate test buttons that allow it to be comfortably used in various positions. The test switch can be used to activate high current after making good contact with the test point. The probe comes with three different styles of probe tips making it flexible enough to test a wide range of products.



**Used With:**

QUADCHEK II and HYAMP II

---

**38085 Probe, GND Bond  
2W w/Switch**



This is fixed tip Ground Bond probe that allows easy contact with grounding points of the device under test. The probe has two separate test buttons that allow it to be comfortably used in various positions. The test switch can be used to activate high current after making good contact with the test point. The probe comes with three different styles of probe tips making it flexible enough to test a wide range of products.

**Used With:**  
HYAMP Jr.

---

**35539 Black Stationary Return Probe**

Provides an insulated fixed metallic contact point to a DUT for a return path. It is ideal in applications where the test point on the DUT is small or the probe needs to be moved frequently.



**Used with:**  
3500D, 3505D, 3565D,  
5500DT and 5560DT

---

**35822 Foot Switch**

Is ideal to be used in applications where an operator needs to start a test "hands off" the instrument.

**Used with:**  
All Hypots

